

WYKABOR 20 GEL

Wykabor 20 Gel is a special boron-based, brushable and injectable gel for use in high risk areas to treat against dry and wet rot as well as wood destroying insects.

Wykabor 20 Gel has been designed for use in all timbers at high risk of damage or decay such as joist ends, purlins, wall plates, cut ends and rafter ends. Wykabor 20 Gel leaves no surface residues after treatment, is non staining and can be over painted in time.

SPECIAL PROPERTIES

- **Brushable** and injectable multi-use gel
- Excellent **highly penetrating preservative** for the control of wood – rotting fungi and wood boring insects
- **Approved under COPR 1986** for use as a wood preservative
- Low environmental hazard
- Clean, easy to handle and virtually non drip
- **Non-staining preservative gel**
- **Odourless and non-flammable**
- **Permanent protection** because the active ingredient does not breakdown

DIRECTIONS FOR USE

Treatment of wood boring insects and fungal decay:

1. Clean all wooden surfaces using a brush or vacuum cleaner.
2. To aid brushing out on any timbers which are very dry or remain dusty, apply a little water to the surface before the application of **Wykabor 20 Gel**.
3. Apply a generous brush coat of **Wykabor 20 Gel**, taking care to ensure that end grains, corners and joints



are well treated. Brush apply to any surfaces exposed by cutting after initial treatment.

4. Brush the **Wykabor 20 Gel** well into the surface taking care not to overload the brush with product, particularly on overhead, horizontal faces.
5. **Wykabor 20 Gel** may be used in outdoor conditions provided that the timber treated is then protected from weathering by an appropriate coating or sealant.
6. As a surface application the gel will not penetrate through paint, varnishes or other coatings and these should be removed before treatment. **Wykabor 20 Gel** can be injected through predrilled holes in areas where paint and coatings cannot be removed.
7. Clean all tools, brushes and equipment with water.

COVERAGE

By brush: 1 litre to 2-2.5m² of timber surface .Large dimensional timbers may need more than one coat or additional treatment with Wykabor 40 gel.

By injection: Apply as necessary or until refusal through predrilled holes.

PACKAGING

Available in 5 litre robust plastic containers.

SHELF LIFE AND STORAGE

Twelve months in unopened, sealed containers. Store in original packaging, unopened or sealed in a dry, safe place. Keep out of reach of children.

Keep away from food, drink and animal feedstuffs.
Viscosity may be reduced at elevated temperatures.

HEALTH AND SAFETY

The information contained in this data sheet is for **professional preservation specialists** and is compiled accordingly.

Wykabor 20 Gel is classified Reproductive Toxicant Category 2 (R60-61) under the Biocidal Products Directive (98/8/EC)

Instructions for safe handling and use are given on the product label. More detailed information on safety is available in the **Wykabor 20 Gel** Material Safety Data Sheet. Certain statutory conditions apply to the use of this product under the Control of Pesticides Regulations 1986 (HSE 7517).

Read the label before use.

Further information and advice is freely Available from the Wykamol Technical Department. For general guidance consult The HSE Guidance Note 'Remedial Timber Treatment in Buildings' (HSE Books, ISBN 0-11-885987-0).

The company warrants this product to be of merchantable quality and fit for the purpose designed, providing that any instructions relating to use, handling and storage are duly observed. All transactions subject to our standard Conditions of sale, copies available on request..

Issue Date : February 2011



Wykamol Group

Unit 3 Boran Court, Network 65 Business Park, Hapton, Burnley. BB11 5TH

t: +44 (0)845 400 6666 f: +44 (0)1706 214998

www.wykamol.com e: sales@lectros.com